



Pleated shade

The most adaptable shade, thanks to its minimal stacking space and its multiple installation options (arches, triangles, specially cut surfaces and sloped planes).

	REGULAR MODELS				IRREGULAR MODELS		
	"A"	"B"	"P"	"D"	"A"	"B"	"P"
	For regular windows. (Vertical drop models.)	For regular windows. Maximum slope 15°. (Vertical drop models with cord side channel.)	Designed for skylights and horizontal windows. Minimum slope 45° and maximum slope 90°. (Vertical drop models with cord side channel and central fastening cables.)	Designed for skylight. Maximum slope 60°. (Vertical drop models with cord side channel.)	For irregular windows. (Vertical drop models.)	For irregular windows. Maximum slope 15°. (Vertical drop, with cord side channel.)	Designed for skylights and horizontal windows. Minimum slope 45° and maximum slope 90°. (Vertical drop models with cord side channel and central fastening cables.)
Cord operated system "TYPE O"	AO10, AO13, AO30, AO31, AO20	BO10, BO16, BO20, BO30, BO31, BO35, BO36	-	-	AO40, AO70	BO75	-
Chain operated system TYPE "K"	AK10	BK10, BK16	-	-	-	-	-
Handle operated system "TYPE B"	-	BB10, BB15, BB20, BB24, BB30, BB31, BB35, BB36	PB10, PB15, PB20, PB30, PB31, PB35, PB36	DB10, DB15, DB20, DB30, DB31, DB35, DB36	-	BB40, BB60, BB61, BB65, BB66, BB70, BB71, BB75, BB76, BB80, BB81, BB85, BB86	PB40, PB41, PB45, PB46, PB60, PB61, PB65, PB66, PB70, PB71, PB75, PB76, PB80, PB81, PB85, PB86
Motor operated system "TYPE E"	AE10	BE10, BE16	PE10, PE11, PE15, PE16	-	-	-	-
Fixed (without drive) TYPE "F"	-	-	-	-	-	BF50, BF55, BF51, BF56, BF52	-

Pleated



Versatility

Great adaptability and minimal stacking space make this shade the most versatile. An ideal solution for windows with unusual shapes thanks to its **many different installation options**.


Solar Elegant Wetex[®]

Pleated fabric with **humidity-resistant coating**.

Ideal for damp spots (greenhouses, bathrooms...)



Prevents the growth of mildew due to condensation.

Ecological fabric **free of formaldehydes and halogens**.



Cell

The Cell model is a pleated fabric with inner cell type 'hives' that **ensures maximum opacity** and provides a high thermal performance.





Night & Day

Combination of two fabrics in a single shade to either get a totally dark or a bright environment at any time of the day.

Operating system options

Available with cord, chain, handle and motor operating systems.



When the pleated shade height is not accessible, it can be operated using a telescopic wand (only compatible with the handle option).



Child Safety

Bandalux supplies by default a child safety system that allows the chain to be attached to the wall preventing children from getting entangled in it.

Child Safety chain/cord retainer

It is the standard security device in the market served by default with your shades order.




SafeKids, a new option patented by Bandalux

It is highly efficient as it cannot be taken apart or tampered with and guarantees that the chain will not detach from the wall, preventing the risk of strangulation.



A MODELS - REGULAR



		AO 10	AO 13 Inter-glass	AO 30 AO 31 Night and Day	AO 20	AK 10	AE 10
STACKING		UPPER	UPPER	UPPER	VARIABLE	UPPER	UPPER
OPERATING SYSTEM		CORD	CORD	CORD	CORD	CHAIN	MOTOR
SHADE WIDTH	Minimum	400 mm	400 mm	400 mm	400 mm	500 mm	510 mm
	Maximum 20 mm fabrics ⁽¹⁾	2300 mm	2300 mm	2300 mm	2300 mm	2300 mm	2300 mm
	Max. 25 mm fabrics ⁽⁴⁾	3600 mm	2400 mm	3000 mm	3600 mm	3600 mm	3600 mm
SHADE HEIGHT	Minimum	100 mm	100 mm	100 mm	100 mm	500 mm	100 mm
	Max. 20 mm fabrics	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm
	Max. 25 mm fabrics ⁽⁵⁾	3000 mm	3000 mm	3000 mm	3000 mm	3000 mm	3000 mm
MAXIMUM SURFACE	Group A	6 m ²	6 m ²	5 m ²	6 m ²	7 m ²	10 m ²
	Group B	6 m ²	6 m ²	5 m ²	6 m ²	7 m ²	10 m ²
	Group C	6 m ²	6 m ²	5 m ²	6 m ²	7 m ²	10 m ²
	Group D	6 m ²	6 m ²	5 m ²	6 m ²	6 m ²	8 m ²
	Group E	4 m ²	4 m ²	4 m ²	4 m ²	4 m ²	4 m ²
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , B1, M1	F1	F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , B1, M1	F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , B1, M1	F1, F2, F3, R1, R2, R3, M1	F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽³⁾ , M1

❗ (1) Ecovision, Sheer Lines, Solar Elegant Wetex and View Ignis fabrics, maximum width of 2000mm. (2) Maximum width 1280mm. (3) Maximum width 1800mm. (4) Cellular BO, Eterea Cell, Plain Cell and Wash Cell fabrics, maximum width of 3000mm. (5) Eterea Cell fabric, maximum height of 1800mm. Duettes® Batiste fabric maximum height 2800 mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

B MODELS - REGULAR



		BO 10	BO 16	BO 20	BO 30 BO 31 Night and Day	BO 35 BO 36 Night and Day
STACKING		UPPER	LOWER	VARIABLE	UPPER	LOWER
OPERATING SYSTEM		CORD	CORD	CORD	CORD	CORD
SHADE WIDTH	Minimum	400 mm	400 mm	400 mm	400 mm	400 mm
	Maximum 20 mm fabrics ⁽¹⁾	2300 mm	2300 mm	2300 mm	2300 mm	2300 mm
	Max. 25 mm fabrics	2400 mm	2400 mm	2400 mm	2400 mm	2400 mm
SHADE HEIGHT	Minimum	100 mm	100 mm	100 mm	100 mm	100 mm
	Max. 20 mm fabrics	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm
	Max. 25 mm fabrics ⁽³⁾	3000 mm	3000 mm	3000 mm	3000 mm	3000 mm
MAXIMUM SURFACE	Group A	6 m ²	6 m ²	6 m ²	5 m ²	5 m ²
	Group B	6 m ²	6 m ²	6 m ²	5 m ²	5 m ²
	Group C	5 m ²	5 m ²	5 m ²	4 m ²	4 m ²
	Group D	5 m ²	5 m ²	5 m ²	3 m ²	3 m ²
	Group E	4 m ²	4 m ²	4 m ²	2,5 m ²	2,5 m ²
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , B1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , B1, M1, M2	C1, F1, F2, F3, R1, R2, R3, S1, S3, B1, M1, M2, T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , B1, M1, M2	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , M1, M2

① (1) Ecovision, Sheer Lines, Solar Elegant Wetex and View Ignis fabrics, maximum width of 2000mm. (2) Maximum width 1280mm. (3) Duettes® Batiste fabric maximum height 2800 mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

B MODELS - REGULAR



		BK 10	BK 16	BB 10	BB 15	BB 20 With tensioned upper profile
STACKING		UPPER	LOWER	UPPER	LOWER	VARIABLE
OPERATING SYSTEM		CHAIN	CHAIN	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum	500 mm	500 mm	150 mm	150 mm	150 mm
	Max. 20 mm fabrics	2300 mm ⁽¹⁾	2300 mm ⁽¹⁾	1500 mm	1500 mm	1500 mm
	Max. 25 mm fabrics	3600 mm ⁽³⁾	3600 mm ⁽³⁾	1500 mm	1500 mm	1500 mm
SHADE HEIGHT	Minimum	500 mm	500 mm	100 mm	100 mm	100 mm
	Max. 20 mm fabrics	2600 mm	2600 mm	2300 mm	2300 mm	2300 mm
	Max. 25 mm fabrics ⁽⁴⁾	3000 mm ⁽⁵⁾	3000 mm ⁽⁵⁾	2300 mm	2300 mm	2300 mm
MAXIMUM SURFACE	Group A	6 m ²	6 m ²	3,5 m ²	3,5 m ²	3,5 m ²
	Group B	6 m ²	6 m ²	3,5 m ²	3,5 m ²	3,5 m ²
	Group C	6 m ²	6 m ²	3,5 m ²	3,5 m ²	3,5 m ²
	Group D	5 m ²	5 m ²	3,5 m ²	3,5 m ²	3,5 m ²
	Group E	4 m ²	4 m ²	2,7 m ²	2,7 m ²	2,7 m ²
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		C1, F1, F2, F3, R1, R2, R3, T1, M1, M2	C1, F1, F2, F3, R1, R2, R3, M2, M1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , T1, M1, M2

① (1) Ecovision, Sheer Lines, Solar Elegant Wetex and View Ignis fabrics, maximum width of 2000mm. (2) Maximum width 1280mm. (3) Cellular BO, Eterea Cell, Plain Cell and Wash Cell fabrics, maximum width of 3000mm. (4) Eterea Cell fabric, maximum height of 1800mm. (5) Duette® Batiste fabric maximum height 2800 mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duette® Bag, Duette® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duette® BO, Duette® Classic, Duette® Relife, Duette® Unix, Wash Cell.

FABRICS GROUP D: Duette® Batiste, Duette® BO Ignis, Duette® BO Vantage.

FABRICS GROUP E: Eterea Cell.

B MODELS - REGULAR



		BB 24	BB 30 BB 31 Night and Day	BB 35 BB 36 Night and Day	BE 10	BE 16
STACKING		VARIABLE	UPPER	LOWER	UPPER	LOWER
OPERATING SYSTEM		HANDLE	HANDLE	HANDLE	MOTOR	MOTOR
SHADE WIDTH	Minimum	250 mm	250 mm	250 mm	440 mm	440 mm
	Max. 20 mm fabrics	1280 mm	1500 mm	1500 mm	2300 mm ⁽¹⁾	2300 mm ⁽¹⁾
	Max. 25 mm fabrics ⁽⁴⁾	1280 mm	1500 mm	1500 mm	3600 mm ⁽⁴⁾	3600 mm ⁽⁴⁾
SHADE HEIGHT	Minimum	100 mm	300 mm	300 mm	100 mm	100 mm
	Max. 20 mm fabrics	2300 mm	2300 mm	2300 mm	2600 mm	2600 mm
	Max. 25 mm fabrics ⁽⁵⁾	2300 mm	2300 mm	2300 mm	3000 mm ⁽⁶⁾	3000 mm ⁽⁶⁾
MAXIMUM SURFACE	Group A	3 m ²	3,5 m ²	3,5 m ²	6 m ²	6 m ²
	Group B	3 m ²	3,5 m ²	3,5 m ²	6 m ²	6 m ²
	Group C	3 m ²	3,5 m ²	3,5 m ²	6 m ²	6 m ²
	Group D	3 m ²	3,5 m ²	3,5 m ²	6 m ²	6 m ²
	Group E	2,4 m ²	2,7 m ²	2,7 m ²	4 m ²	4 m ²
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		C1, F1, F2, F3, R1, S1, S3, A1 ⁽²⁾ , T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , T1	C1, F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽²⁾ , T1	F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽³⁾ , M1, M2, T1	F1, F2, F3, R1, R2, R3, S1, S3, A1 ⁽³⁾ , M1, M2

❶ (1) Ecovision, Sheer Lines, Solar Elegant Wetex and View Ignis fabrics, maximum width of 2000mm. (2) Maximum width 1280mm. (3) Maximum width 1800mm. (4) Cellular BO, Eterea Cell, Plain Cell and Wash Cell fabrics, maximum width of 3000mm. (5) Eterea Cell fabric, maximum height of 1800mm. (6) Duettes® Batiste fabric maximum height 2800 mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

P MODELS - REGULAR



		PB 10	PB 15	PB 20	PB 30 PB 31 Night and Day
STACKING		UPPER	LOWER	VARIABLE	UPPER
OPERATING SYSTEM ⁽¹⁾		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum	200 mm	200 mm	200 mm	200 mm
	Max. 20 mm fabrics	1500 mm	1500 mm	1500 mm	1500 mm
	Max. 25 mm fabrics	1500 mm	1500 mm	1500 mm	1500 mm
SHADE HEIGHT	Minimum	100 mm	100 mm	100 mm	100 mm
	Max. 20 mm fabrics	GROUP A	4500 mm	4500 mm	4500 mm
		GROUP B	4000 mm	4000 mm	4000 mm
	Max. 25 mm fabrics ⁽⁴⁾	GROUP A, B, C	4000 mm	4000 mm	4000 mm
		GROUP D,E	3500 mm	3500 mm	3500 mm
MAXIMUM SURFACE	Group A	7 m ²	7 m ²	7 m ²	6 m ²
	Group B	6 m ²	6 m ²	6 m ²	5 m ²
	Group C	6 m ²	5 m ²	5 m ²	4 m ²
	Group D	5 m ²	5 m ²	5 m ²	4 m ²
	Group E	2,7 m ²	2,7 m ²	2,7 m ²	2,7 m ²
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, F3 ⁽³⁾ , R1, R2, R3, S1 ⁽²⁾ , M1, M2	F1, F3 ⁽³⁾ , R1, R2, R3, S1 ⁽²⁾ , M1, M2	F1, F3 ⁽³⁾ , R1, R2, R3, S1 ⁽²⁾ , M1, M2	F1, F3 ⁽³⁾ , R1, R2, R3, S1 ⁽²⁾ , M1, M2

① (1) An extendible wand is optionally available for models with handles. (2) Only applicable with inverted side channels. (3) Maximum height of 2600mm.

(4) Eterea Cell fabric, maximum height of 1800mm. Duettes® Batiste fabric maximum height 2800 mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

P MODELS - REGULAR



		PB 35 PB 36 Night and Day		PE 10 PE 11	PE 15 PE 16
STACKING		LOWER		UPPER	LOWER
OPERATING SYSTEM		HANDLE ⁽¹⁾		MOTOR	MOTOR
SHADE WIDTH	Minimum	200 mm		350 mm	350 mm
	Max. 20 mm fabrics	1500 mm		2300 mm ⁽²⁾	2300 mm ⁽²⁾
	Max. 25 mm fabrics	1500 mm		2300 mm	2300 mm
SHADE HEIGHT	Minimum	100 mm		100 mm	100 mm
	Max. 20 mm fabrics	GROUP A	4500 mm	4500 mm	4500 mm
		GROUP B	4000 mm	4000 mm	4000 mm
	Max. 25 mm fabrics ⁽⁵⁾	GROUP A, B, C	4000 mm	4000 mm	4000 mm
		GROUP D,E	3500 mm	3500 mm	3500 mm
MAXIMUM SURFACE	Group A	6 m ²		6 m ²	6 m ²
	Group B	5 m ²		5 m ²	5 m ²
	Group C	4 m ²		5 m ²	5 m ²
	Group D	4 m ²		4 m ²	4 m ²
	Group E	3 m ²		3 m ²	3 m ²
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, F3 ⁽⁴⁾ , R1, R2, R3, S1 ⁽³⁾ , M1, M2		F1, F3 ⁽⁴⁾ , R1, R2, R3, S1 ⁽³⁾ , M1, M2	F1, F3 ⁽⁴⁾ , R1, R2, R3, S1 ⁽³⁾ , M1, M2

Ⓢ (1) An extendible wand is optionally available for models with handles (2) Ecovision, Sheer Lines, Solar Elegant Wetex and View Ignis fabrics, maximum width of 2000mm. (3) Only applicable with inverted side channels. (4) Maximum height of 2600mm. (5) Eterea Cell fabric, maximum height of 1800mm. Duettes® Batiste fabric maximum height 2800 mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

D MODELS - REGULAR




		DB 10	DB 15	DB 20	DB 30 DB 31 Night and Day	DB 35 DB 36 Night and Day
STACKING		UPPER	LOWER	VARIABLE	UPPER	LOWER
OPERATING SYSTEM ⁽¹⁾		HANDLE	HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum	300 mm	300 mm	300 mm	300 mm	300 mm
	Max. 20 mm fabrics	1500 mm	1500 mm	1500 mm	1500 mm	1500 mm
	Max. 25 mm fabrics	1500 mm	1500 mm	1500 mm	1500 mm	1500 mm
SHADE HEIGHT	Minimum	100 mm	100 mm	100 mm	100 mm	100 mm
	Max. 20 mm fabrics	2200 mm	2200 mm	2200 mm	2200 mm	2200 mm
	Max. 25 mm fabrics ⁽²⁾	2200 mm	2200 mm	2200 mm	2200 mm	2200 mm
MAXIMUM SURFACE		2,2m ²	2,2m ²	2,2m ²	2,2m ²	2,2m ²
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, F3, R1, S1, T1	F1, R1, S1, T1	F1, F3, R1, S1, T1	F1, F3, R1, S1, T1	F1, F2, F3, R1, S1, T1

① (1) An extendible wand is optionally available for models with handles.

(2) Eterea Cell fabric, maximum height of 1800mm.

A MODELS - IRREGULAR



		AO 40 ⁽¹⁾ With upper angle	AO 70 Angle onl
STACKING		UPPER	UPPER
OPERATING SYSTEM		CORD	CORD
SHADE WIDTH	Minimum	400 mm	400 mm
	Max. 20 mm fabrics	1800 mm	2100 mm ⁽²⁾
	Max. 25 mm fabrics	1800 mm	2100 mm
SHADE HEIGHT	Minimum	h1 200 mm h2 70 mm	100 mm
	Max. 20 mm fabrics	2500 mm	2000 mm
	Max. 25 mm fabrics ⁽³⁾	3000 mm ⁽⁴⁾	2000 mm
MAXIMUM SURFACE	Group A	5 m ²	4,2 m ²
	Group B	5 m ²	4,2 m ²
	Group C	5 m ²	4,2 m ²
	Group D	4 m ²	4,2 m ²
	Group E	3 m ²	4 m ²
ANGLE	Minimum	1°	1°
	Maximum	30°	60°
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, F2, F3, R1, M1	F1, F2, F3, R1

① (1) It is advised that the intermediate profile be at the height of the user, handle smoothly for proper operation. (2) Ecovision, Sheer Lines, Solar Elegant Wetex and View Ignis fabrics, maximum width of 2000mm. (3) Eterea Cell fabric, maximum height of 1800mm. (4) Duette® Batiste fabric maximum height 2800 mm.


FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.

FABRICS GROUP B: Blocks, Denim, Duette® Bag, Duette® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duette® BO, Duette® Classic, Duette® Relife, Duette® Unix, Wash Cell.

FABRICS GROUP D: Duette® Batiste, Duette® BO Ignis, Duette® BO Vantage.

FABRICS GROUP E: Eterea Cell.



		B075	BB 40 (fixed angle) Sloped upper section	BB 60 Sloped side	BB 61 Trapezoid	BB 65 Sloped side
STACKING		LOWER	UPPER	LOWER	LOWER	UPPER
OPERATING SYSTEM		CORD	HANDLE ⁽¹⁾	HANDLE ⁽¹⁾	HANDLE ⁽¹⁾	HANDLE ⁽¹⁾
SHADE WIDTH	Minimum upper	0 mm	0 mm	120 mm	120 mm	150 mm
	Minimum lower	400 mm	300 mm	150 mm	150 mm	120 mm
	Max. 20 mm fabrics	2300 mm ⁽²⁾	1280 mm	1500 mm	1500 mm	1500 mm
	Max. 25 mm fabrics	2300 mm	1280 mm	1500 mm	1500 mm	1500 mm
SHADE HEIGHT	Minimum	100 mm	300 mm	100 mm	100 mm	100 mm
	Max. 20 mm fabrics	2600 mm	2300 mm	2300 mm	2300 mm	2300 mm
	Max. 25 mm fabrics ⁽³⁾	2600 mm	2300 mm	2300 mm	2300 mm	2300 mm
MAXIMUM SURFACE	GROUP A, B, C, D	5 m²	2,5 m²	3,5 m²	3,5 m²	3,5 m²
	GROUP E	5 m²	2,3 m²	2,7 m²	2,7 m²	2,7 m²
ANGLE	MINIMUM	10°	--	10°	10°	10°
	MAXIMUM	60°	--	89°	89°	89°
MAX. LENGTH OF MEASUREMENT 'W' (see page 37)		--	--	880 mm	690 mm	880 mm
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, F2, F3, R2, R3	F1, F2, F3, R1, T1	F1, F2, F3, R1	F1, F2, F3, R1	F1, F2, F3, R1

① (1) An extendible wand is optionally available for models with handles. (2) Ecovision, Sheer Lines, Solar Elegant Wetex and View Ignis fabrics, maximum width of 2000mm.
(3) Eterea Cell fabric, maximum height of 1800mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

B MODELS - IRREGULAR



ⓘ The shaded section that appears in the drawings above WILL NOT be covered by the shade.

		BB 66 Trapezoid	BB 70 Right triangle	BB 71 Triangle without a right angle	BB 75 Right triangle	BB 76 Triangle without a right angle
STACKING		UPPER	LOWER	LOWER	UPPER	UPPER
OPERATING SYSTEM ⁽¹⁾		HANDLE	HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	150 mm	0 mm	0 mm	150 mm	150 mm
	Minimum lower	120 mm	150 mm	150 mm	0 mm	0 mm
	Max. 20 mm fabrics	1500 mm	1000 mm	1500 mm	1000 mm	1500 mm
	Max. 25 mm fabrics	1500 mm	1000 mm	1500 mm	1000 mm	1500 mm
SHADE HEIGHT	Minimum	100 mm	100 mm	100 mm	100 mm	100 mm
	Max. 20 mm fabrics	2300 mm	2300 mm	2300 mm	2300 mm	2300 mm
	Max. 25 mm fabrics ⁽²⁾	2300 mm	2300 mm	2300 mm	2300 mm	2300 mm
MAXIMUM SURFACE	GROUP A, B, C, D	3,5 m ²	2,3 m ²	3,5 m ²	2,3 m ²	3,5 m ²
	GROUP E	2,7 m ²	1,8 m ²	2,7 m ²	1,8 m ²	2,7 m ²
ANGLE	MINIMUM	10°	10°	10°	10°	10°
	MAXIMUM	89°	89°	89°	89°	89°
MAX. LENGTH OF MEASUREMENT 'W' (see page 37)		690 mm	1000 mm	750 mm	1000 mm	750 mm
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, F2, F3, R1	F1, R1	F1, R1	F1, R1	F1, R1

ⓘ (1) An extendible wand is optionally available for models with handles. (2) Etere Cell fabric, maximum height of 1800mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Etere Cell.

B MODELS - IRREGULAR



		BB 80 Irregular shape above	BB 81 Hexagonal shape	BB 85 Irregular shape below	BB 86 Hexagonal shape
STACKING		LOWER	LOWER	UPPER	UPPER
OPERATING SYSTEM ⁽¹⁾		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	120 mm	120 mm	400 mm	500 mm
	Minimum lower	400 mm	500 mm	120 mm	120 mm
	Maximum 20mm fabrics	1500 mm	1500 mm	1500 mm	1500 mm
	Maximum 25mm fabrics	1500 mm	1500 mm	1500 mm	1500 mm
HAUTEUR STORE	Minimum	300 mm	300 mm	300 mm	300 mm
	Maximum 20mm fabrics	2300 mm	2300 mm	2300 mm	2300 mm
	Maximum 25mm fabrics ⁽²⁾	2300 mm	2300 mm	2300 mm	2300 mm
MAXIMUM SURFACE	GROUP A, B, C, D	3,5 m ²	3,5 m ²	3,5 m ²	3,5 m ²
	GROUP E	2,7 m ²	2,7 m ²	2,7 m ²	2,7 m ²
MAX. LENGTH OF MEASUREMENT 'W' (see page 37)		1380 mm	1380 mm	1380 mm	1380 mm
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, F2, F3, R1	F1, F2, F3, R1	F1, F2, F3, R1	F1, F2, F3, R1

① (1) An extendible wand is optionally available for models with handles. (2) Etere Cell fabric, maximum height of 1800mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Etere Cell.

B MODELS - IRREGULAR



		PB 40 Upper profile with slope	PB 41 Pointed upper profiles	PB 45 Lower profile with slope	PB 46 Pointed lower profiles	PB 60 Irregular side shape	PB 61 Trapezoid shape
STACKING		LOWER	LOWER	UPPER	UPPER	LOWER	LOWER
OPERATING SYSTEM ⁽¹⁾		HANDLE	HANDLE	HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	0 mm	0 mm	200 mm	200 mm	120 mm	120 mm
	Minimum lower	200 mm	200 mm	0 mm	0 mm	200 mm	200 mm
	Maximum 20mm fabrics	1000 mm	1500 mm	1000 mm	1500 mm	1500 mm	1500 mm
	Maximum 25mm fabrics	1000 mm	1500 mm	1000 mm	1500 mm	1500 mm	1500 mm
HAUTEUR STORE	Minimum	100 mm	100 mm	100 mm	100 mm	100 mm	100 mm
	Maximum 20mm fabrics	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm
	Maximum 25mm fabrics ⁽³⁾	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm
MAXIMUM SURFACE	GROUP A, B, C, D	2,6 m ²	3,9 m ²	2,6 m ²	3,9 m ²	3,9 m ²	3,9 m ²
	GROUP E	1,8 m ²	2,7 m ²	1,8 m ²	2,7 m ²	2,7 m ²	2,7 m ²
ANGLE	MINIMUM	10°	10°	10°	10°	10°	10°
	MAXIMUM	60°	60°	60°	60°	89°	89°
Max. LENGTH OF MEASUREMENT 'W' (See page 37)		1000 mm	750 mm	1000 mm	750 mm	880 mm	690 mm
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, R1, M1	F1, R1, M1	F1, R1, M1	F1, R1, M1	R1, M1, F1, F3 ⁽²⁾	R1, M1, F1, F3 ⁽²⁾

① (1) An extendible wand is optionally available for models with handles. (2) Maximum height of 2600mm. (3) Eterea Cell fabric, maximum height of 1800mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

P MODELS - IRREGULAR



		PB 65 Irregular side shape	PB 66 Trapezoid shape	PB 70 Right triangle	PB 71 Triangle without a right angle	PB 75 Right triangle	PB 76 Triangle without a right angle
STACKING		UPPER	UPPER	LOWER	LOWER	UPPER	UPPER
OPERATING SYSTEM ⁽¹⁾		HANDLE	HANDLE	HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	200 mm	200 mm	0 mm	0 mm	200 mm	200 mm
	Minimum lower	120 mm	120 mm	200 mm	200 mm	0 mm	0 mm
	Maximum 20mm fabrics	1500 mm	1500 mm	1000 mm	1500 mm	1000 mm	1500 mm
	Maximum 25mm fabrics	1500 mm	1500 mm	1000 mm	1500 mm	1000 mm	1500 mm
HAUTEUR STORE	Minimum	100 mm	100 mm	100 mm	100 mm	100 mm	100 mm
	Maximum 20mm fabrics	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm
	Maximum 25mm fabrics ⁽³⁾	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm	2600 mm
MAXIMUM SURFACE	GROUP A, B, C, D	3,9 m ²	3,9 m ²	2,6 m ²	3,9 m ²	2,6 m ²	3,9 m ²
	GROUP E	2,7 m ²	2,7 m ²	1,8 m ²	2,7 m ²	1,8 m ²	2,7 m ²
ANGLE	MINIMUM	10°	10°	10°	10°	10°	10°
	MAXIMUM	89°	89°	89°	89°	89°	89°
MAX. LENGTH OF MEASUREMENT 'W' (see page 37)		880 mm	690 mm	1000 mm	750 mm	1000 mm	750 mm
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		R1, M1, F1, F3 ⁽²⁾	R1, M1, F1, F3 ⁽²⁾	F1, R1, M1	F1, R1, M1	F1, R1, M1	F1, R1, M1

① (1) An extendible wand is optionally available for models with handles. (2) Maximum height of 2600mm. (3) Eterea Cell fabric, maximum height of 1800mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

P MODELS - IRREGULAR



		PB 80 Irregular shape above	PB 81 Hexagonal shape	PB 85 Irregular shape below	PB 86 Hexagonal shape
STACKING		LOWER	LOWER	UPPER	UPPER
OPERATING SYSTEM ⁽¹⁾		HANDLE	HANDLE	HANDLE	HANDLE
SHADE WIDTH	Minimum upper	120 mm	120 mm	400 mm	400 mm
	Minimum lower	400 mm	400 mm	120 mm	120 mm
	Maximum 20mm fabrics	1000 mm	1500 mm	1000 mm	1500 mm
	Maximum 25mm fabrics	1000 mm	1500 mm	1000 mm	1500 mm
HAUTEUR STORE	Minimum	300 mm	300 mm	300 mm	300 mm
	Maximum 20mm fabrics	2600 mm	2600 mm	2600 mm	2600 mm
	Maximum 25mm fabrics ⁽³⁾	2600 mm	2600 mm	2600 mm	2600 mm
MAXIMUM SURFACE	GROUP A, B, C, D	2,6 m ²	3,9 m ²	2,6 m ²	3,9 m ²
	GROUP E	1,8 m ²	2,7 m ²	1,8 m ²	2,7 m ²
ANGLE	MINIMUM	-	-	-	-
	MAXIMUM	-	-	-	-
Max. LENGTH OF MEASUREMENT 'W' (see page 37)		880 mm	690 mm	880 mm	690 mm
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, R1, M1, F3 ⁽²⁾	F1, R1, M1, F3 ⁽²⁾	F1, R1, M1, F3 ⁽²⁾	F1, R1, M1, F3 ⁽²⁾

① (1) An extendible wand is optionally available for models with handles. (2) Maximum height of 2600mm. (3) Eterea Cell fabric, maximum height of 1800mm.

FABRICS GROUP A: Bouquet, Camouflage, Change, Coffee, Frankfurt, Future Ignis, Light, New York, Points, Quattrocento, Rose End, Sealed Ignis, Sealed Metal Ignis, Sheer Lines, Toronto.


FABRICS GROUP B: Blocks, Denim, Duettes® Bag, Duettes® Barcode, Earth, Ecovision, Etamine, Honey, Milan, Must, Neptune, Skyline, Skyline Metal, Solar Elegant Wetex, Tone, View Ignis.

FABRICS GROUP C: Cellular BO, Duettes® BO, Duettes® Classic, Duettes® Relife, Duettes® Unix, Wash Cell.

FABRICS GROUP D: Duettes® Batiste, Duettes® BO Ignis, Duettes® BO Vantage.

FABRICS GROUP E: Eterea Cell.

B MODELS - FIXED AND IRREGULAR



		BF50 BF55	BF51 BF56	BF52
SHADE WIDTH	Minimum	150mm	150mm	150mm
	Max. 20 mm fabrics	600mm	1200mm	1200mm
	Max. 25 mm fabrics	600mm	1200mm	1200mm
SHADE HEIGHT	Minimum	100mm	100mm	100mm
	Max. 20 mm fabrics	600mm	600mm	1200mm
	Max. 25 mm fabrics	600mm	600mm	1200mm
MAXIMUM SURFACE		0,36m ²	0,72m ²	1,44m ²
OPTIONS, BRACKETS AND COMPONENTS (Details on P. 34 and 35)		F1, R1, R2, R3	F1, R1, R2, R3	F1, R1, R2

⚠ In order to manufacture this shade, the customer must indispensably send Bandalux a real-size template (we recommend using a roll of brown paper)



OPERATING SYSTEMS



CORD
(INCLUDES CHILD SAFETY)



CHILD SAFETY CORD CLEAT
CHILD SAFETY SYSTEM



CHAIN
(INCLUDES CHILD SAFETY)



CHILD SAFETY CHAIN RETAINER
CHILD SAFETY SYSTEM

ⓘ OPTIONAL: Safekids safety device



HANDLE



MODELS NIGHT & DAY
Two fabrics in the same shade

MOTOR


SOMFY LV25

BANDALUX TIGER

MOTOR		AUTOMATISMS				
		SINGLE-CHANNEL REMOTE CONTROL	MULTI-CHANNEL REMOTE CONTROL	RTS RECEIVERS	TRANSFORMERS	
24V HARDWIRED	SOMFY (models AE / BE)	AE MODEL LV25	INVERTER 5 Positions ref. 02464010	--	--	TRANSFORMER IMAGINE ⁽³⁾ ref. 03507600
		BE MODEL LV25				
	BANDALUX (PE models)	TIGER	INVERTER 5 Positions ref. 02464010	--	--	TRANSFORMER IMAGINE ⁽⁴⁾ ref. 03507600
RADIO 24V	SOMFY (models AE / BE)	AE MODEL LV25	TRANSMITTER TELIS 1 PURE ref. 06700970	TRANSMITTER TELIS 4 PURE ref. 06700881	INTEGRATED RTS 24V RECEIVER ⁽¹⁾⁽⁶⁾ ref. 02463611	TRANSFORMER IMAGINE ⁽³⁾ ref. 03507600
		BE MODEL LV25			EXTERNAL 24V RECEIVER ⁽⁶⁾ ref. 02463601	
	BANDALUX (PE models)	TIGER	TRANSMITTER TELIS 1 PURE ref. 06700970	TRANSMITTER TELIS 4 PURE ref. 06700881	INTEGRATED RTS 24V RECEIVER ⁽²⁾⁽⁶⁾ ref. 02463611	TRANSFORMER IMAGINE ⁽⁵⁾ ref. 03507600
					EXTERNAL 24V RECEIVER ⁽⁶⁾ ref. 02463601	

(1) In Models AE and BE, inside the headrail receiver only for shades shorter than 2500mm and wider than 1050mm, or shades between 2500mm and 3000mm high and 1170mm wide. (2) In PE model, inside the headrail receiver only for shade wider than 420mm. (3) Transformer always outside the head. (4) Transformer inside the head for shades wider than 490 mm. (5) Transformer inside the head for shades wider than 640 mm. (6) It is necessary to add a receiver to the price of the motorization, and indicate on the order sheet or eBA if you want it integrated or external.

OPTIONS



COMPLETE TELESCOPIC WAND

SHORT

⚠ An extendible wand equipped with a mechanism that connects with the handle (activated by twisting it).

Only compatible with the handle option.

Unfolded length = 1500 mm
Collected length = 900 mm

LARGE

Unfolded length = 3000 mm
Collected length = 1500 mm


OTHER OPTIONS (regular models only)




SAFEKIDS

SAFEKIDS COLORS


☐ White
 ☒ Black
 ☒ Brown
☒ Grey
 ☐ Ivory




DOUBLE DROP IN A DOUBLE OPERATING SYSTEM
Bottom bar and upper profile (ONLY FOR A REGULAR MODELS)



"L"-SHAPED SIDE
CHANNEL 90°
AND 96° **(S1)**



"U"-SHAPED SIDE
CHANNEL 90°
(S3)









"U"-SHAPED SIDE
CHANNEL 90°
ADHESIVE **(A1)**

Pleated shade

➔ OPTIONS

BRACKETS AND COMPONENTS

		Models A	Models B	Models D	Models P
		Vertical drop	Vertical drop with cord guiding. Maximum slope 15°	Models for skylights. Maximum slope 60°	Cable guiding for skylights and horizontal windows
	B1 Movement of corner brake	✓	✓	✗	✗
	C1(2) Window bracket with no screws	✗	✓	✗	✗
	F1(1) Wall bracket 5mm	✓	✓	✓	✓
	F2(2) Wall bracket 70mm	✓	✓	✗	✗
	F3(2) Wall bracket 40mm	✓	✓	✗	✗
	R1(1) Ceiling bracket Includes 11° wedge compensation	✓	✓	✓	✓
	R2(2) Separator 1,5mm compensation	✓	✓	✗	✓
	R3(2) Separator 8mm ventilation	✓	✓	✗	✓
	M1 Upper profile channel installation	✓	✓	✗	✓
	M2 Upper / lower profile channel installation	✗	✓	✗	✓
	T1 Fixed profile tensioner channel (models B and D)	✗	✓	✓	✗

① (1) By default, Bandalux supplies brackets for wall (F1) or ceiling installation (R1).

(2) Bandalux will provide as many brackets as necessary, depending on the model and shade size requested.

STACKING HEIGHT FOR REGULAR MODELS

MODELS: AO AND BO (CORD), BB, DB AND PB (HANDLE)

Shade height H	10 SERIES		
	FABRICS GROUP 1	FABRICS GROUP 2	FABRICS GROUP 3
500mm	54mm	57mm	61mm
1000mm	62mm	69mm	77mm
1500mm	71mm	81mm	94mm
2000mm	79mm	93mm	110mm
2500mm	88mm	105mm	126mm
3000mm	96mm	117mm	142mm
3500mm	105mm	129mm	158mm

Shade height H	20 SERIES and 30 SERIES		
	FABRICS GROUP 1	FABRICS GROUP 2	FABRICS GROUP 3
500mm	62mm	65mm	69mm
1000mm	70mm	77mm	85mm
1500mm	79mm	89mm	102mm
2000mm	87mm	101mm	118mm
2500mm	96mm	113mm	134mm
3000mm	104mm	125mm	150mm
3500mm	113mm	137mm	166mm

MODELS: AE, AK AND BK (CHAIN), BE AND PE (MOTOR)

Shade height H	10 SERIES		
	FABRICS GROUP 1	FABRICS GROUP 2	FABRICS GROUP 3
500mm	74mm	77mm	81mm
1000mm	82mm	89mm	97mm
1500mm	91mm	101mm	114mm
2000mm	99mm	113mm	130mm
2500mm	108mm	125mm	146mm
3000mm	116mm	137mm	162mm
3500mm	125mm	149mm	178mm
4000mm	133mm	161mm	194mm
4500mm	142mm	173mm	211mm

FABRICS GROUP 1:

BOUQUET, CAMUFLAGE, Duette® BAG, Duette® BARCODE, Duette® BATISTE, Duette® BO, Duette® BO IGNIS, Duette® BO VANTAGE, Duette® CLASSIC, Duette® UNIX, Duette® RELIFE, FRANKFURT, LIGHT, NEW YORK, PLAIN CELL, POINTS, ROSE END, SEALED IGNIS, SEALED METAL IGNIS, SHEER LINES, TORONTO

FABRICS GROUP 2:

CHANGE, ETAMINE, ETEREA CELL, FUTURE IGNIS, QUATTROCENTO, SOLAR ELEGANT WETEX, WASH CELL

FABRICS GROUP 3:

BLOCKS, CELLULAR BO, COFFEE, DENIM, EARTH, ECOVISION, HONEY, MILAN, MUST, NEPTUNE, SKYLINE, SKYLINE METAL, TONE, VIEW IGNIS










AVAILABLE MOTOR DATA

TYPE	MODEL	ø mm	Nm.	r.p.m.	power (W)
SOMFY® HARDWIRED/RADIO 24V	LV 25 0,6/35 LATERAL	24	0,6	35	14
BANDALUX HARDWIRES/RADIO 24V	TIGER M255 21-830 24V	24.6	0,8	30	12

Pleated shade


TECHNICAL DATA

DRAWING IN SECTION AND LEVELS OF THE HEADRAILS, BOTTOM BARS AND OPTIONS

HEADRAIL FOR CORD AND HANDLE OPERATING SYSTEM 	HEADRAIL FOR CHAIN AND MOTOR OPERATING SYSTEM 	FREE DROP BOTTOM BAR 
CLOSURE BOTTOM BAR (GUIDED) 	PROFILE ADDITIONAL INSTALLATION M1 AND M2 OPTION 	INTERMEDIATE PROFILE (UNION FABRICS) 
"U" SHAPED SIDE CHANNEL A1 AND S3 OPTION 	SIDE CHANNEL "L" 90° AND 96° - S1 OPTION 	GUIDED FIXED PROFILE T1 OPTION 

MAXIMUM LENGTH OF THE 'W' MEASUREMENT IN IRREGULAR MODELS

See irregular pleated shade models on pages 11 - 18.





MAXIMUM SHADE SIZE (mm)

Price	Collection	Type	Width of pleat	Limited width maximum of tailoring ⁽¹⁾
T1	DENIM	Decorative	20 mm	2350
	ETAMINE	Decorative	20 mm	2350
	PLAIN CELL	Decorative	25 mm	3000
	WASH CELL	Decorative	25 mm	3000
T2	COFFEE	Deco translucent	20 mm	2400
	ECOVISION	Decorative	20 mm	2000
	POINTS	Decorative	20 mm	2350
	SKYLINE	Fire-retardant	20 mm	2350
	SOLAR ELEGANT WETEX	Anti-mold	20 mm	2000
	STONE	Fire-retardant	20 mm	2350
T3	CAMOUFLAGE	Deco translucent	20 mm	2400
	CELLULAR BO	Between crystals-air cell	25 mm	3000
	CHANGE	Decorative	20 mm	2400
	DUETTE® CLASSIC	Decorative	25 mm	4500
	DUETTE® UNIX	Decorative	25 mm	4500
	EARTH	Decorative	20 mm	2350
	ETEREA CELL	Deco translucent	25 mm	3000
	FRANKFURT	Fire-retardant	20 mm	2300
	HONEY	Deco translucent	20 mm	2400
	LIGHT	Decorative	20 mm	2350
	MILAN	Fire-retardant metalized	20 mm	2350
	MUST	Fire-retardant	20 mm	2350
	NEPTUNE	Decorative	20 mm	2350
	NEW YORK	Fire-retardant	20 mm	2300
	SKYLINE METAL	Fire-retardant metalized	20 mm	2350
	TORONTO	Fire-retardant	20 mm	2300
	BLOCKS	Decorative	20 mm	2350
	BOUQUET	Decorative	20 mm	2350
T4	DUETTE® BAG	Decorative	25 mm	4500
	DUETTE® BARCODE	Decorative	25 mm	4500
	DUETTE® BO	Blackout	25 mm	4500
	DUETTE® BO VANTAGE	Decorative	25 mm	4500
	DUETTE® RELIFE	Decorative	25 mm	4500
	FUTURE IGNIS	Fire-retardant	20 mm	3000
	QUATTROCENTO	Decorative	20 mm	2400
	ROSE END	Decorative	20 mm	2370
	SEALED IGNIS	Fire-retardant	20 mm	2300
	SEALED METAL IGNIS	Fire-retardant/metal	20 mm	2320
	SHEER LINES	Decorative	20 mm	2000
	VIEW IGNIS	Fire-retardant	20 mm	2000
T5	DUETTE® BATISTE (2) +10%	Decorative	25 mm	4500
	DUETTE® BO IGNIS	Blackout fireproof	25 mm	4400

⁽¹⁾ Consult manufacturing limits according to model on pages 4-18.

⁽²⁾ Duette® Batiste has an increase of +10% in addition to the T5 price of rate.

COLOR PROFILE AND COMPONENTS

If you do not indicate a different color on the order form or eBa, the profiles will be served in white by default.
The color of the cords, knobs, ladders and chains will be coordinated with the chosen fabric according to Bandalux's stylistic criteria.

☐ White (RAL 9016)
 ☐ Grey (RAL 9006)
 ☐ Metallic Grey (DB 703)
 ☐ Brown (RAL 8019)
 ☐ Ivory (RAL 9001)

BANDALUX